Neuroscience Letters, 129 (1991) 321–324
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Ahlfors, S., see Tiihonen, J., 303
Albright, T., see Masliah, E., 1
Altstiel, L., see Fillit, H., 318
Alvarado, R., see Camacho-Arroyo, I., 95
Anadón, R., see Manso, M.J., 291
Anderson, J.M., see Watson, P.M., 6
Aoki, M., see Satomi, H., 168
Arvanov, V.L. and Usherwood, P.N.R., Concentration jump studies of intracellularly dialysed *Xenopus* oocytes show desensitization of kainate receptors, 201

Bach, F.W., Nielsen, J.B., Buchholt, J., Lou, H. and Güttler, F., Correlation between cerebrospinal fluid phenylalanine and β-endorphin in patients with phenylketonuria, 131
Backhovens, H., see Chartier-Harlin, M.-C., 134
Ball, S.G., see Murphy, N.P., 229
Bando, T., see Hirano, T., 273
Barnard, E.A., see Henley, J.M., 35
Barthó, L., Kóczán, G., Holzer, P., Maggi, C.A. and Szolcsányi, J., Antagonism of the effects of calcitonin gene-related peptideand of capsaicin on the guinea-pig isolated ileum by human α-calcitonin gene-related peptide(8–37), 156
Bayliss, D.A., see Czyzyk-Krzeska, M.F., 98
Bélanger, M.-C., see Marchand, R., 285
Benech, C., see Sotelo, J.R., 91
Bernardi, G., see Marciani, M.G., 306
Bingmann, D., see Moraidis, I., 51
Birder, L.A., Roppolo, J.R., Iadarola, M.J. and De Groat, W.C., Electrical stimulation of visceral afferent pathways in the pelvic nerve increases c-*fos* in the rat lumbosacral spinal cord, 193
Bond, A., see Henley, J.M., 35
Bonilla, E., Estévez, J., Suárez, H., Morales, L.M., De Bonilla, L.C., Villalobos, R. and Dávila, J.O., Serum ferritin deficiency in Huntington's disease patients, 22
Bowen, D.J., see Yau, W.M., 259
Brambilla, E., see Cappelletti, G., 149
Bravo, R., see Herdegen, T., 221
Broeckhoven, C.V., see Chartier-Harlin, M.-C., 134
Brookes, S.J.H., see Song, Z.-M., 294
Brtva, R.D., see Iwamoto, G.A., 86
Buchholt, J., see Bach, F.W., 131
Buchstaller, A., Fuchs, K. and Sieghart, W., Identification of α_1-, α_2- and α_3-subunit isoforms of the $GABA_A$-benzodiazepine receptor in the rat brain, 237
Buee, L., see Fillit, H., 318
Bugiani, O., see Hachimi, K.H.E., 119
Burke, R.E., see Kostic, V.S., 197
Büsselberg, D., see Evans, M.L., 103

Cadet, J.L., see Kostic, V.S., 197
Cairns, N.J., Chadwick, A., Luthert, P.J. and Lantos, P.L., β-Amyloid protein load is relatively uniform throughout neocortex and hippocampus in elderly Alzheimer's disease patients, 115
Calverley, R.K.S., see Jones, D.G., 189
Camacho-Arroyo, I., Alvarado, R., Manjarrez, J. and Tapia, R., Microinjections of muscimol and bicuculline into the pontine reticular formation modify the sleep–waking cycle in the rat, 95
Camatini, M., see Cappelletti, G., 149
Cammer, W., Immunostaining of carbamoylphosphate synthase II and fatty acid synthase in glial cells in rat, mouse, and hamster brains suggests roles for carbonic anhydrase in biosynthetic processes, 247
Čapek, R. and Esplin, B., Attenuation of hippocampal inhibition by a NMDA (*N*-methyl-D-aspartate) receptor antagonist, 145
Cappelletti, G., Camatini, M., Brambilla, E. and Maci, R., *N*-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) induces cytoskeletal alterations on 'Swiss 3T3' mouse fibroblasts, 149
Carpenter, D.O., see Evans, M.L., 103
Cavallari, P. and Pettersson, L.-G., Synaptic effects in lumbar α-motoneurones evoked from group II muscle afferents via two different interneuronal pathways in the cat, 225
Chadwick, A., see Cairns, N.J., 115
Chartier-Harlin, M.-C., Crawford, F., Hamandi, K., Mullan, M., Goate, A., Hardy, J., Backhovens, H., Martin, J.-J. and Broeckhoven, C.V., Screening for the β-amyloid precursor protein mutation (APP717: Val→Ile) in extended pedigrees with early onset Alzheimer's disease, 134
Chen, J., Paredes, W., Lowinson, J.H. and Gardner, E.L., Strain-specific facilitation of dopamine efflux by Δ^9-tetrahydrocannabinol in the nucleus accumbens of rat: an in vivo microdialysis study, 136
Christensen, H. and Fonnum, F., Uptake of glycine, GABA and glutamate by synaptic vesicles isolated from different regions of rat CNS, 217
Chuang, D.-M., see Li, R., 81
Costa, M., see Song, Z.-M., 294
Crawford, F., see Chartier-Harlin, M.-C., 134
Czyzyk-Krzeska, M.F., Bayliss, D.A., Lawson, E.E. and Millhorn, D.E., Expression of messenger RNAs for peptides and tyrosine hydroxylase in primary sensory neurons that innervate arterial baroreceptors and chemoreceptors, 98

Dávila, J.O., see Bonilla, E., 22
Dawson, R.M. and Poretski, M., The interaction of tacrine with benzodiazepine and GABA binding sites of guinea pig brain, 250
De Bonilla, L.C., see Bonilla, E., 22
De Groat, W.C., see Birder, L.A., 193
Ding, W., see Fillit, H., 318
Doctrow, S.R., see Watson, P.M., 6

Eaton, S.A., see Roberts, W.A., 161
Eckert, R. and Trautwein, W., Inhibitory modulation of fast and slow Ca^2-currents in neuroblastoma × glioma cells during differentiation, 123
Ekström, P., see Vecino, E., 311
Esplin, B., see Čapek, R., 145
Estévez, J., see Bonilla, E., 22
Evans, M.L., Büsselberg, D. and Carpenter, D.O., Pb^2 blocks calcium currents of cultured dorsal root ganglion cells, 103

Fadda, P., Tortorella, A. and Fratta, W., Sleep deprivation decreases μ and δ opioid receptor binding in the rat limbic system, 315
Ferrell, W.R., see Scott, D.T., 74
Fillit, H., Ding, W., Buee, L., Kalman, J., Altstiel, L., Lawlor, B. and Wolf-Klein, G., Elevated circulating tumor necrosis factor levels in Alzheimer's disease, 318

Foncin, J.-F., see Hachimi, K.H.E., 119
Fonnum, F., see Christensen, H., 217
Frangione, B., see Hachimi, K.H.E., 119
Fratta, W., see Fadda, P., 315
Frey, U., Matthies, H., Reymann, K.G. and Matthies, H., The effect of dopaminergic D_1 receptor blockade during tetanization on the expression of long-term potentiation in the rat CA1 region in vitro, 111
Fromherz, P., Schaden, H. and Vetter, T., Guided outgrowth of leech neurons in culture, 77
Fuchs, K., see Buchstaller, A., 237
Fujiwara, N., see Warashina, A., 181
Furukawa, Y.K. andS., see Nemoto, K., 281

Gardner, E.L., see Chen, J., 136
Giaccone, G., see Hachimi, K.H.E., 119
Giuliani, S., see Lecci, A., 299
Goate, A., see Chartier-Harlin, M.-C., 134
Goshima, Y., Nakamura, S., Ohno, K. and Misu, Y., Picomolar concentrations of L-DOPA stereoselectively potentiate activities of presynaptic β-adrenoceptors to facilitate the release of endogenous noradrenaline from rat hypothalamic slices, 214
Griffith, W.H., see Sim, J.A., 63
Güttler, F., see Bach, F.W., 131

Habano, W., see Nemoto, K., 281
Hachimi, K.H.E., Verga, L., Giaccone, G., Tagliavini, F., Frangione, B., Bugiani, O. and Foncin, J.-F., Relationship between non-fibrillary amyloid precursors and cell processes in the cortical neuropil of Alzheimer patients, 119
Hagiwara, T., see Nemoto, K., 281
Hamandi, K., see Chartier-Harlin, M.-C., 134
Ham, J., Rickards, C. and Scanlon, M., Prolonged exposure to *N*-methyl-D-aspartate increases intracellular and secreted somatostatin in rat cortical cells, 262
Hansen, L.A., Masliah, E., Quijada-Fawcett, S. and Rexin, D., Entorhinal neurofibrillary tangles in Alzheimer disease with Lewy bodies, 269
Hansen, L., see Masliah, E., 1
Hao, J., see Kaplan, J.M., 205
Hardy, J., see Chartier-Harlin, M.-C., 134
Hari, R., see Tiihonen, J., 303
Hattori, T., see Moriizumi, T., 127
Hayaishi, O., see Onoe, H., 209
Heller, A., see Kontur, P.J., 254
Henley, J.M., Bond, A. and Barnard, E.A., Autoradiographic localisations of glutamatergic ligand binding sites in *Xenopus* brain, 35
Herdegen, T., Tölle, T.R., Bravo, R., Zieglgänsberger, W. and Zimmermann, M., Sequential expression of JUN B, JUN D and FOS B proteins in rat spinal neurons: cascade of transcriptional operations during nociception, 221
Hidaka, H., see Tohda, M., 47
Hirai, S., see Okamoto, K., 233
Hirano, Naomitsu, see Nemoto, K., 281
Hirano, T., Nagai, K., Bando, T. and Nakagawa, H., Effect of repeated immobilization stress on the uptake of exogenous [^{3}H]dopamine in adrenal chromaffin cells of mice, 273
Hoesen, G.W.V., see Tourtellotte, W.G., 11
Hoffmann, P.C., see Kontur, P.J., 254
Holzer, P., see Barthó, L., 156
Homma, S., see Karakida, T., 173
Horie, H., see Sango, K., 277
Horie, H., see Sotelo, J.R., 91
Hösli, E. and Hösli, L., Autoradiographic evidence for endothelin receptors on astrocytes in cultures of rat cerebellum, brainstem and spinal cord, 55
Hösli, L., see Hösli, E., 55
Hunt, S.P., see Jenkins, R., 107

Iadarola, M.J., see Birder, L.A., 193
Inouye, S.-I.T., see Shinohara, K., 59
Ishii, K., see Nemoto, K., 281
Isobe, Y., see Shinohara, K., 59
Isokawa, M. and Mello, L.E.A.M., NMDA receptor-mediated excitability in dendritically deformed dentate granule cells in pilocarpine-treated rats, 69
Itakura, C., see Shimada, A., 25
Ito, S., see Karakida, T., 173
Ito, S., see Sotelo, J.R., 91
Iwamoto, G.A., Brtva, R.D. and Waldrop, T.G., Cardiorespiratory responses to chemical stimulation of the caudalmost ventrolateral medulla in the cat, 86

Jackson-Lewis, V., see Kostic, V.S., 197
Jenkins, R. and Hunt, S.P., Long-term increase in the levels of c-*jun* mRNA and Jun protein-like immunoreactivity in motor and sensory neurons following axon damage, 107
Jones, D.G. and Calverley, R.K.S., Frequency of occurrence of perforated synapses in developing rat neocortex, 189

Kajola, M., see Tiihonen, J., 303
Kakizaki, H., Koyanagi, T. and Kato, M., Sympathetic innervation of the male feline urethral rhabdosphincter, 165
Kalman, J., see Fillit, H., 318
Kaneko, S., see Matsuoka, N., 177
Kaplan, J.M., Hao, J. and Södersten, P., Apomorphine induces ejaculation in chronic decerebrate rats, 205
Karakida, T., Sakai, M., Ito, S., Yamada, Y. and Homma, S., Changes of substance P and somatostatin contents in the gastrointestinal tract of streptozotocin diabetic rats, 173
Karhu, J., see Tiihonen, J., 303
Kato, M., see Kakizaki, H., 165
Kirch, D.G., see Li, R., 81
Kitamura, A., see Nemoto, K., 281
Kóczán, G., see Barthó, L., 156
Kontur, P.J., Won, L.A., Hoffmann, P.C. and Heller, A., Survival of developing dopaminergic neurons in reaggregate tissue culture following treatment with methamphetamine, 254
Kostic, V.S., Przedborski, S., Jackson-Lewis, V., Cadet, J.L. and Burke, R.E., Effect of unilateral perinatal hypoxic-ischemic brain injury on striatal dopamine uptake sites and D_1 and D_2 receptors in adult rats, 197
Koyama, E., see Muto, K., 39
Koyanagi, T., see Kakizaki, H., 165
Kuromi, H., An in vitro method assaying recognition ability of nerve terminals for special substances, 141
Kuwamura, M., see Shimada, A., 25

Lam, F.Y., see Scott, D.T., 74
Lantos, P.L., see Cairns, N.J., 115
Lawlor, B., see Fillit, H., 318
Lawson, E.E., see Czyzyk-Krzeska, M.F., 98
Lecci, A., Giuliani, S., Patacchini, R., Viti, G. and Maggi, C.A., Role of NK^1 tachykinin receptors in thermonociception: effect of (±)-CP 96,345, a non-peptide substance P antagonist, on the hot plate test in mice, 299

Lehmenkühler, A., see Moraidis, I., 51
Li, R., Wing, L.L., Shen, Y., Wyatt, R.J., Kirch, D.G. and Chuang, D.-M., Chronic haloperidol treatment attenuates receptor-mediated phosphoinositide turnover in rat brain slices, 81
Lou, H., see Bach, F.W., 131
Lovinger, D.M., *Trans*-1-amino-cyclopentane-1,3-dicarboxylic acid (*t*-ACPD) decreases synaptic excitation in rat striatal slices through a presynaptic action, 17
Lowinson, J.H., see Chen, J., 136
Lu, K.-S., see Tsai, Y.-F., 153
Luthert, P.J., see Cairns, N.J., 115

Maci, R., see Cappelletti, G., 149
Maggi, C.A., see Barthó, L., 156
Maggi, C.A., see Lecci, A., 299
Mallory, M., see Masliah, E., 1
Manjarrez, J., see Camacho-Arroyo, I., 95
Manso, M.J. and Anadón, R., Specialized presynaptic dendrites in the stratum cellulare externum of the optic tectum of an elasmobranch, *Scyliorhinus canicula* L., 291
Marchand, R. and Bélanger, M.-C., Ontogenesis of the axonal circuitry associated with the olfactory system of the rat embryo, 285
Marciani, M.G., Santone, G., Sancesario, G., Massa, R., Stanzione, P. and Bernardi, G., Epileptic activity following cerebral ischemia in mongolian gerbils is depressed by CPP, a competitive antagonist of the *N*-methyl-D-aspartate receptor, 306
Martin, J.-J., see Chartier-Harlin, M.-C., 134
Masliah, E., Hansen, L., Mallory, M., Albright, T. and Terry, R.D., Abnormal brain spectrin immunoreactivity in sprouting neurons in Alzheimer disease, 1
Masliah, E., see Hansen, L.A., 269
Massa, R., see Marciani, M.G., 306
Matsuoka, N., Kaneko, S. and Satoh, M., A facilitatory role of endogenous somatostatin in long-term potentiation of the mossy fiber-CA3 system in guinea-pig hippocampus, 177
Matthies, H., see Frey, U., 111
Mello, L.E.A.M., see Isokawa, M., 69
Millhorn, D.E., see Czyzyk-Krzeska, M.F., 98
Misu, Y., see Goshima, Y., 214
Mizuguchi, A., see Satomi, H., 168
Moraidis, I., Bingmann, D., Lehmenkühler, A. and Speckmann, E.-J., Caffeine-induced epileptic discharges in CA3 neurons of hippocampal slices of the guinea pig, 51
Morales, L.M., see Bonilla, E., 22
Moriizumi, T. and Hattori, T., Non-dopaminergic projection from the subparafascicular area to the temporal cortex in the rat, 127
Mullan, M., see Chartier-Harlin, M.-C., 134
Murphy, N.P., Ball, S.G. and Vaughan, P.F.T., The effect of calcium channel antagonists on the release of [^{3}H]noradrenaline in the human neuroblastoma, SH-SY5Y, 229
Muto, K., Noji, S., Nohno, T., Koyama, E., Myokai, F., Nishijima, K., Saito, T. and Taniguchi, S., Involvement of retinoic acid and its receptor beta in differentiationof motoneurons in chick spinal cord, 39
Myokai, F., see Muto, K., 39

Nagai, K., see Hirano, T., 273
Nakagawa, H., see Hirano, T., 273
Nakamura, J., see Tohda, M., 47
Nakamura, S., see Goshima, Y., 214
Nakazato, Y., see Okamoto, K., 233
Nemoto, K., Tashiro, F., Hagiwara, T., Kitamura, A., Habano, W., Hirano, N., Ishii, K., Ueno, Y., Omae, F., Shiroki, K. Kuchino Y. and Furukawa, S., Elevation of nerve growth factor synthesis by constitutive expression of v-*src* oncogene in cultured rat fibroblasts, 281
Nielsen, J.B., see Bach, F.W., 131
Nishijima, K., see Muto, K., 39
Nohno, T., see Muto, K., 39
Noji, S., see Muto, K., 39
Nomura, Y., see Tohda, M., 47

Ohama, E., see Shimada, A., 25
Ohmori, H., see Yamashita, M., 43
Ohno, K., see Goshima, Y., 214
Ohno, M., Yamamoto, T. and Watanabe, S., Blockade of 5-HT_2 receptors protects against impairment of working memory following transient forebrain ischemia in the rat, 185
Okamoto, K., Hirai, S., Yamazaki, T., Sun, X. and Nakazato, Y., New ubiquitin-positive intraneuronal inclusions in the extra-motor cortices in patients with amyotrophic lateral sclerosis, 233
Omae, F., see Nemoto, K., 281
Onoe, H., Watanabe, Y., Tamura, M. and Hayaishi, O., REM sleep-associated hemoglobin oxygenation in the monkey forebrain studied using near-infrared spectrophotometry, 209

Paredes, W., see Chen, J., 136
Patacchini, R., see Lecci, A., 299
Pettersson, L.-G., see Cavallari, P., 225
Poretski, M., see Dawson, R.M., 250
Przedborski, S., see Kostic, V.S., 197

Quijada-Fawcett, S., see Hansen, L.A., 269

Raymond, S.A., see Shin, H.-C., 242
Rexin, D., see Hansen, L.A., 269
Reymann, K.G., see Frey, U., 111
Rickards, C., see Ham, J., 262
Roberts, W.A., Eaton, S.A. and Salt, T.E., Excitatory amino acid receptors mediate synaptic responses to visual stimuli in superior colliculus neurones of the rat, 161
Roppolo, J.R., see Birder, L.A., 193

Saito, T., see Muto, K., 39
Sakai, M., see Karakida, T., 173
Salt, T.E., see Roberts, W.A., 161
Sancesario, G., see Marciani, M.G., 306
Sango, K., Horie, H., Sotelo, J.R. and Takenaka, T., A high glucose environment improves survival of diabetic neurons in culture, 277
Sango, K., see Sotelo, J.R., 91
Santone, G., see Marciani, M.G., 306
Satoh, M., see Matsuoka, N., 177
Satomi, H., Takahashi, K., Mizuguchi, A. and Aoki, M., An observation on hitherto unknown corticospinal fibers that descend between the tractus corticospinalis lateralis and ventralis in the cat, 168
Scanlon, M., see Ham, J., 262
Schaden, H., see Fromherz, P., 77
Scott, D.T., Lam, F.Y. and Ferrell, W.R., Time course of substance P-induced protein extravasation in the rat knee joint measured by micro-turbidimetry, 74
See, R.E., Striatal dopamine metabolism increases during long-term haloperidol administration in rats but shows tolerance in response to acute challenge with raclopride, 265
Shen, Y., see Li, R., 81
Shimada, A., Kuwamura, M., Umemura, T., Takada, K., Ohama, E. and Itakura, C., Modified Bielschowsky and immunohistochemical studies on senile plaques in aged dogs, 25

Shin, H.-C. and Raymond, S.A., Excitability changes in C fibers of rat sciatic nerve following impulse activity, 242
Shinohara, K., Isobe, Y., Takeuchi, J. and Inouye, S.-I.T., Circadian rhythms of somatostatin-immunoreactivity in the suprachiasmatic nucleus of the rat, 59
Shiroki, K., see Nemoto, K., 281
Sieghart, W., see Buchstaller, A., 237
Sim, J.A. and Griffith, W.H., Muscarinic agonists block a late-after-hyperpolarization in medial septum/diagonal band neurons in vitro, 63
Södersten, P., see Kaplan, J.M., 205
Song, Z.-M., Brookes, S.J.H. and Costa, M., Identification of myenteric neurons which project to the mucosa of the guinea-pig small intestine, 294
Sotelo, J.R., Horie, H., Ito, S., Benech, C., Sango, K. and Takenaka, T., An in vitro model to study diabetic neuropathy, 91
Sotelo, J.R., see Sango, K., 277
Speckmann, E.-J., see Moraidis, I., 51
Stanzione, P., see Marciani, M.G., 306
Suárez, H., see Bonilla, E., 22
Sun, X., see Okamoto, K., 233
Szolcsányi, J., see Barthó, L., 156

Tagliavini, F., see Hachimi, K.H.E., 119
Tai, M.-Y., see Tsai, Y.-F., 153
Takada, K., see Shimada, A., 25
Takahashi, K., see Satomi, H., 168
Takenaka, T., see Sango, K., 277
Takenaka, T., see Sotelo, J.R., 91
Takeuchi, J., see Shinohara, K., 59
Tamura, M., see Onoe, H., 209
Taniguchi, S., see Muto, K., 39
Tapia, R., see Camacho-Arroyo, I., 95
Tashiro, F., see Nemoto, K., 281
Terry, R.D., see Masliah, E., 1
Tiihonen, J., Hari, R., Kajola, M., Karhu, J., Ahlfors, S. and Tissari, S., Magnetoencephalographic 10-Hz rhythm from the human auditory cortex, 303
Tissari, S., see Tiihonen, J., 303
Tohda, M., Nakamura, J., Hidaka, H. and Nomura, Y., Inhibitory effects of KN-62, a specific inhibitor of Ca/Calmodulin-dependent protein kinase II, on serotonin-evoked Cl^- current and $^{36}Cl^-$ efflux in *Xenopus* oocytes, 47
Tölle, T.R., see Herdegen, T., 221
Tortorella, A., see Fadda, P., 315
Tourtellotte, W.G. and Hoesen, G.W.V., The axonal origin of a subpopulation of dystrophic neurites in Alzheimer's disease, 11
Trautwein, W., see Eckert, R., 123
Tsai, H.-W., see Tsai, Y.-F., 153
Tsai, Y.-F., Tsai, H.-W., Tai, M.-Y. and Lu, K.-S., Age-related changes in locomotor behavior induced by MPTP in rats, 153

Ueno, Y., see Nemoto, K., 281
Umemura, T., see Shimada, A., 25
Usherwood, P.N.R., see Arvanov, V.L., 201

Vanltallie, C.M., see Watson, P.M., 6
Vaughan, P.F.T., see Murphy, N.P., 229
Vecino, E. and Ekström, P., Expression of the homeobox *engrailed* gene during the embryonic development of the nervous system of the trout (*Salmo fario* L.), 311
Verga, L., see Hachimi, K.H.E., 119
Vetter, T., see Fromherz, P., 77
Villalobos, R., see Bonilla, E., 22
Viti, G., see Lecci, A., 299

Waldrop, T.G., see Iwamoto, G.A., 86
Warashina, A. and Fujiwara, N., Differential effects of protein kinase C activation on catecholamine secretions evoked by stimulations of various receptors in the rat adrenal medulla, 181
Watanabe, S., see Ohno, M., 185
Watanabe, Y., see Onoe, H., 209
Watson, P.M., Anderson, J.M., Vanltallie, C.M. and Doctrow, S.R., The tight-junction-specific protein ZO-1 is a component of the human and rat blood–brain barriers, 6
Wing, L.L., see Li, R., 81
Wolf-Klein, G., see Fillit, H., 318
Won, L.A., see Kontur, P.J., 254
Wyatt, R.J., see Li, R., 81

Yamada, Y., see Karakida, T., 173
Yamamoto, T., see Ohno, M., 185
Yamashita, M. and Ohmori, H., Synaptic bodies and vesicles in the calix type synapse of chicken semicircular canal ampullae, 43
Yamazaki, T., see Okamoto, K., 233
Yau, W.M., Bowen, D.J. and Youther, M.L., Evidence for an involvement of eicosanoids in neurokinin^3-receptor mediated acetylcholine release from myenteric neurons, 259
Youther, M.L., see Yau, W.M., 259

Zieglgänsberger, W., see Herdegen, T., 221
Zimmermann, M., see Herdegen, T., 221
Zupanc, G.K.H., Clustering of cell bodies, bundling of dendrites, and gap junctions: morphological substrate for electrical coupling in the prepacemaker nucleus, 29